

65609

6560

Layne-Western

A Division of Layne Christensen Company
4601 N. 252nd Street, PO Box 597
Valley, Nebraska 68064
(402) 359-2042

WELL INFORMATION

1. Contact: Regional Water Date: 10/28/2004
 2. City and State: Avoca, Iowa Driller: Duane Trask
 3. Well No. N-22 at test hole No. 2004-22 Well location (attach map) North Well Field

4. Work completed: _____ Number of man-hours as charged to job on daily report: _____

5. Materials:

Length	Diameter	Gauge or Wall Thickness	Material	Type	Number of Openings
5	12"	.375	SST	Johnson	.090
21.5	8"	.322	Carbon Steel	Livingston	

6. Screen: _____

7. Inner Casing: _____

8. Outer Casing: _____

9. 6 tons of gravel used in the well. Size: AA

10. Well Test. Did you use test or permanent pump? Test Bowl Size: _____ Stages: _____

11. Size of orifice: _____ inch by _____ inch. Orifice tube reading: _____ inches.

12. Pumping test (measurements from ground-level):

Time	Gallons Per Minute (GPM)	Static	Drawdown	Pumping Level
		See Attached Sheet		

13. Recovery in 5-minutes: Yes in 30-minutes: _____

14. Did you seal bottom of well? Yes Thickness: .375 inches. Material: SST

15. Well under-reamed? From _____ feet to _____ feet, _____ feet to _____ feet.

16. If all screen was not placed at bottom, state how it was spaced.
From _____ feet to _____ feet; from _____ feet to _____ feet; from _____ feet to _____ feet.

7. Depth of well from ground level to top of plug: 26.5' Size of drilled hole: 30" inches.

8. Was cement placed around or between any of the casings? Yes. If so, state where, how much Top and method used: Top of 10' Cement



